Claims

1. (Currently amended) A process for melting materials to be treated, the process comprising:

placing the <u>hazardous and/or contaminated and/or waste</u> materials to be treated into a container, wherein the container does not comprise a region formed in the ground;

heating the <u>hazardous and/or contaminated and/or waste</u> materials to be treated in the container until the materials to be treated melt to create melted <u>hazardous and/or contaminated</u> and/or waste materials; and

allowing the melted <u>hazardous and/or contaminated and/or waste</u> materials to cool in the container to create a solidified <u>vitrified hazardous and/or contaminated and/or waste</u> material.

- 2. (Currently amended) The process of claim 1 further comprising the step of disposing of the container with the <u>vitrified hazardous</u> and/or contaminated and/or waste material therein.
- 3. (Currently amended) The process of claim 2 wherein the container includes a lid or cover when disposed the hazardous and/or contaminated and/or waste materials in the container are heated at a temperature of from about 1400 to about 2000 degrees C.
- 4. (Currently amended) The process of claim 1 wherein the <u>hazardous and/or</u> <u>contaminated and/or waste</u> materials <u>are heated to form a molten state without addition of</u> temperature-lowering additives <u>container includes a hood</u>.
- 5. (Currently amended) The process of claim 4 wherein the <u>container hood</u> has a structure to collect gases.
- 6. (Currently amended) The process of claim 4 that further comprises the steps of: removing the gas-collecting structure from the container hood-after the melted material has been allowed to cool;

placing a lid or cover onto the container; and

disposing of the container that includes the solidified vitrified hazardous and/or contaminated and/or waste material therein.

Page 2 of 9

LMC:ejv 07/10/06 PATENT

- 7. (Currently amended) The process of claim 1 wherein the <u>hazardous and/or contaminated and/or waste</u> material to be treated is heated by at least two <u>removable</u> electrodes located in the material to be treated and passing a current between the at least two <u>removable</u> electrodes.
- 8. (Currently amended) The process of claim 7 wherein a starter path of material is placed between the at least two <u>removable</u> electrodes prior to the heating the material to be treated.
- 9. (Currently amended) The process of claim 7 wherein the container further includes a lid or cover and the electrodes extend through the hood and into the material to be treated A process for melting materials having hazardous and/or contaminated substances, comprising:

 placing materials including the hazardous and/or contaminated substances into a container that can withstand temperatures of up to 2000 degrees C without significant degradation of the container;

 heating the materials in the container to a molten state;

 vitrifying the molten materials without removing molten materials from the container to form a vitrified product in the container that contains at least a portion of the hazardous and/or contaminated substances immobilized therein; and discarding the container with the vitrified product therein or removing the vitrified product from the container.
- 10. (Currently amended) The process of claim 9 wherein the container further includes a lid or cover and the at least one heating device that element extends through the lid or cover and into the material to be treated heated.
- 11. (Currently amended) The process of claim 19, wherein the material to be treated is heated by at least one heating device element that is not connected to the container being placed within the material to be treated and passing heat through the material to be treated.

Page 3 of 9

- 12. (Currently amended) The process of claim <u>419</u> wherein the <u>material includes a radioactive substance therein</u>eontainer further includes a lid or cover and the electrodes extend through the hood and into the material to be treated.
- 13. (Currently amended) The process of claim 119 wherein the container is discarded with the vitrified product therein further includes a lid or cover and the at least one heating element extends through the lid or cover and into the material to be treated.
- 14. (Currently amended) The process of claim 49 that further includes the step of removing the solidified vitrified material from the container.
 - 15. (Original) The process of claim 1 wherein the container includes an insulating layer.
- 16. (Original) The process of claim 15 wherein the insulating layer comprises thermal insulation board.
- 17. (Original) The process of claim 15 wherein the container further includes a refractory material.
- 18. (Currently amended) The process of claim 49 wherein the container further includes a refractory material.
- 19. (Currently amended) The process of claim 49 wherein an additive is added to the material to be treated.
- 20. (Currently amended) The process of claim 19 wherein the additive increases the <u>electrical</u> conductivity of the material to be treated.
- 21. (Original) The process of claim 19 wherein the additive aids in oxidizing metals contained in the material to be treated.

Page 4 of 9

- 22. (Original) The process of claim 19 wherein the additive aids in destroying hazardous materials in the material to be treated.
- 23. (Currently amended) The process of claim 19 wherein the additive aids in destroying certain contaminated types such as chlorinated organic materials.
- 24. (Currently amended) The process of claim 19 wherein the additive aids in improving the durability of the solidified vitrified material.
- 25. (Currently amended) The process of claim 19 <u>further comprising heating the</u> material to a temperature of at least about 1400 degrees <u>C</u>wherein the additive aids in raising and lowering the melt temperature.
- 26. (Currently amended) The process of claim 1 wherein <u>further material is passively</u> added to the container as the material in the <u>container is being heated the container has a cavity</u> and includes a layer of sand in the cavity.
- 27. (Currently amended) The process of claim 1 wherein <u>further material is actively</u> added to the container as the material in the container is being heated the container has a cavity and includes a slip form positioned in the cavity.
- 28. (Currently amended) The process of claim 27 9 wherein the container has a cavity and includes a slip form positioned in the cavity container wall and an opening is defined between the container wall and the slip form.
- 29. (Currently amended) The process of claim 28 further including the step of placing sand in the <u>container behind the slip formopening</u>.
- 30. (Currently amended) The process of claim 29 further including the step of removing the slip form from the container and leaving the sand.

Page 5 of 9

- 31. (Original) The process of claim 29 wherein the slip form is not removed from the container.
- 32. (Original) The process of claim 27 wherein the container has a plurality of walls and an opening is defined between the plurality of walls and the slip form.
- 33. (Original) The process of claim 32 that further includes the step of placing sand in the opening.
- 34. (Original) The process of claim 27 wherein the container has a plurality of walls and a bottom and a first opening is defined between the plurality of walls and the slip form and a second opening is formed between the bottom and the slip form.
- 35. (Original) The process of claim 34 that further includes the step of placing sand in both the first opening and the second opening.
- 36. (Original) The process of claim 1 that further includes the step of placing a liquid impermeable liner in the container, wherein the material to be treated is placed in the liner.
- 37. (Currently amended) The process of claim 1 wherein the material to be treated is contained in one or more <u>vessels drums</u>-that are placed in the container.
- 38. (Currently amended) The process of claim 37 wherein there is a plurality of <u>vessels</u> drums and there are voids between the <u>vessels</u> drums.
 - 39. (Original) The process of claim 38 wherein soil is placed in the voids.
- 40. (Currently amended) The process of claim <u>9</u>1 wherein the material to be treated is contained in one or more <u>vessels</u> boxes that are placed in the container.

Page 6 of 9

- 41. (Currently amended) The process of claim 40 wherein there is a plurality of <u>vessels</u> boxes and there are voids between the boxes.
 - 42. (Original) The process of claim 41 wherein soil is placed in the voids.
- 43. (Currently amended) The process of claim 1 that further includes the step of covering the material to be treated with soil prior to heating.
- 44. (Original) The process of claim 1 wherein the material to be treated is mixed with soil.
 - 45. (Original) The process of claim 1 wherein the material to be treated is soil material.
- 46. (Original) The process of claim 1 wherein the material to be treated includes soil material.
- 47. (Original) The process of claim 1 wherein the material to be treated includes radioactive material.
- 48. (Original) The process of claim 1 wherein the material to be treated includes hazardous, non-radioactive material.
- 49. (Original) The process of claim 1 wherein the material to be treated includes one or more of the group consisting of hazardous elemental materials, organic compounds, and inorganic compounds.
- 50. (Original) The process of claim 1 that further includes the step of capturing gases generated by heating the material to be treated.
 - 51. (Original) The process of claim 50 wherein the captured gases are treated.

Page 7 of 9

Attorney Reference Number 7512-73238-01 Application Number 10/808,929

LMC:ejv 07/10/06 PATENT

- 52. (Original) The process of claim 1 wherein additional material to be treated are placed in the container.
- 53. (Original) The process of claim 52, wherein the additional material to be treated is added to the container using an active feeding method.
- 54. (Original) The process of claim 52, wherein the additional material to be treated is added to the container using a passive feeding method.

Claims 55-68 (Canceled)